This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/772,149	01/29/2001	James A. Barnard	82008RLO	8690
7	590 07/28/2004		EXAMINER	
Patent Legal Staff			HOFFMAN, BRANDON S	
Eastman Kodak Company				
343 State Street			ART UNIT	PAPER NUMBER
Rochester, NY 14650-2201			2136	

DATE MAILED: 07/28/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

· · · · · · · · · · · · · · · · · · ·		Application No.	Applicant(s)			
Office Action Summary		Application No.				
		09/772,149	BARNARD ET AL.			
	Office Action Summary	Examiner	Art Unit			
	TI MANUAL DATE (M.	Brandon Hoffman	2136			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
THE - Exter after - If the - If NO - Failu Any (ORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICA asions of time may be available under the provisions of 37 SIX (6) MONTHS from the mailing date of this communic period for reply specified above is less than thirty (30) day of the period for reply is specified above, the maximum statutor or to reply within the set or extended period for reply will, reply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	TION. 'CFR 1.136(a). In no event, however, may a ation. ys, a reply within the statutory minimum of thry period will apply and will expire SIX (6) MO by statute, cause the application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this communication BANDONED (35 U.S.C. § 133).	1.		
Status						
1)	Responsive to communication(s) filed o	n				
·	•	☐ This action is non-final.				
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠	Claim(s) <u>1-20</u> is/are pending in the apple 4a) Of the above claim(s) is/are version Claim(s) is/are allowed. Claim(s) <u>1-20</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction	vithdrawn from consideration.				
Applicat	ion Papers					
10)⊠	The specification is objected to by the E The drawing(s) filed on 29 January 2007 Applicant may not request that any objection Replacement drawing sheet(s) including the The oath or declaration is objected to by	f is/are: a) \square accepted or b) \square n to the drawing(s) be held in abeyase correction is required if the drawing	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d	d) .		
Priority (under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notice 3) Infor	et(s) ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO- mation Disclosure Statement(s) (PTO-1449 or PTO- er No(s)/Mail Date	-948) Paper No	Summary (PTO-413) o(s)/Mail Date Informal Patent Application (PTO-152) 			

Art Unit: 2136

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. <u>Claims 1-20</u> are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Moribe et al.</u> (U.S. Patent No. 5,818,812) in view of <u>Kajiyama et al.</u> (U.S. Patent No. 6,108,296), and further in view of <u>Mochizuki</u> (U.S. Patent No. 6,097,814).

Regarding <u>claims 1, 3, and 15, Moribe et al.</u> teaches a copy-protected optical disc/method for copy-protecting information recorded on an optical disc, comprising:

- A number of other optical discs are assigned a preformed ID number during optical disc manufacture (col. 6, lines 22-46);
- A unique identification number for the optical disc which was written on the optical disc after it is manufactured (fig. 1, ref. num 4 and col. 6, lines 5-9); and
- An encrypted program written onto the optical disc wherein the encryption of such program is based upon the unique ID (fig. 6 and col. 7, lines 10-23).

Moribe et al. does not teach a preformed identification number (ID) in the ATIP signal and the subcode that is impressed upon the optical disc, and the encryption of

Art Unit: 2136

the program is based upon the preformed ID and includes two or more selectable security levels.

<u>Kajiyama et al.</u> teaches a preformed identification number (ID) in the subcode which is impressed upon the optical disc (col. 7, lines 52-61), and the encryption of the program is based upon the preformed ID (col. 7, lines 52-61).

It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to combine forming a disc with a preformed ID and the encryption of the program is based upon the preformed ID, as taught by Kajiyama et al., with the disc/method of Moribe et al. It would have been obvious for such modifications because the copy protect information can vary with each disc, thus improving the copy protect ability (see col. 7, lines 59-61 of Kajiyama et al.).

Moribe et al. as modified by Kajiyama et al. still does not teach a preformed ID in the ATIP signal and includes two or more selectable security levels. Mochizuki teaches a preformed ID in the ATIP signal and includes two or more selectable security levels (col. 5, line 56 through col. 6, line 16 and col. 6, lines 56-63).

It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to combine a preformed ID which is formed in the ATIP signal and includes two or more selectable security levels, as taught by Mochizuki, with the disc/method of Moribe et al./Kajiyama et al. It would have been obvious for such

Art Unit: 2136

modifications because the ATIP signal already exists; by placing the preformed ID in an already existing signal, no extra data is needed.

Regarding <u>claims 2 and 4</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./ Mochizuki</u> teaches further including the preformed ID recorded in the data stream (see col. 7, lines 55-56 of Kajiyama et al.).

Regarding <u>claim 5</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>
<u>Mochizuki</u> teaches wherein the preformed ID includes the maximum start of lead-in and the start of lead-out for the disc (see fig. 5b and col. 6, lines 23-39 of Kajiyama et al.); the preformed ID is recorded in special information and special information of the ATIP signal (see col. 5, line 56 through col. 6, line 16 of Mochizuki).

Regarding <u>claim 6</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>

<u>Mochizuki</u> teaches further including the step of reading the preformed ID and the unique ID from the disc and decrypting the encrypted program using the preformed ID and the unique ID (see col. 7, lines 24-66 of Moribe et al.).

Regarding <u>claim 7</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>
<u>Mochizuki</u> teaches in which the unique ID is recorded at one or more known absolute sector addresses on the disc (see fig. 1, ref. num 4 and col. 6, lines 5-12 of Moribe et al.).

Art Unit: 2136

Regarding <u>claim 8</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>

<u>Mochizuki</u> teaches in which the unique ID is recorded into the second session (see fig. 1, ref. num 4 and col. 6, lines 5-9 of Moribe et al.).

Regarding <u>claim 9</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>
<u>Mochizuki</u> teaches in which the disc further includes a recordable area (see fig. 1, ref. num 3 and col. 6, lines 4-5 of Moribe et al.).

Regarding <u>claim 10</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>
<u>Mochizuki</u> teaches a copy-protection system including a computer, the copy-protected optical disc of claim 1, and an encrypting program capable of reading the preformed ID and the unique ID from the copy-protected optical disc of claim 1 and encrypting a customer program using them (see fig. 6 and col. 7, lines 10-23 of Moribe et al.).

Regarding claim 11, the combination of Moribe et al. in view of Kajiyama et al./

Mochizuki teaches wherein the encryption is performed by a copy-protection system including a computer, the copy-protected optical disc of claim 1, and an encrypting program capable of reading the preformed ID and the unique ID from the copy-protected optical disc of claim 1 and encrypting a customer program using them (see fig. 6 and col. 7, lines 10-23 of Moribe et al.).

Art Unit: 2136

Regarding <u>claim 12</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>
<u>Mochizuki</u> teaches in which an encrypting program is pressed onto the copy-protected optical disc (see col. 6, lines 23-39 of Kajiyama et al.).

Regarding <u>claim 13</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>

<u>Mochizuki</u> teaches in which the encrypting program is located on another computer system or on a network (see col. 7, lines 10-23 of Moribe et al., the program that performs the steps to encrypt data is located on a different computer than the computer that will read the encrypted program in hopes to decrypt the data).

Regarding <u>claim 14</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>

<u>Mochizuki</u> teaches further including:

- Reading the Drive ID of the CD-ROM drive to determine whether it is a reader/writer or a reader only (see col. 7, lines 47-66 of Moribe et al.); and
- Using that information to determine which preformed ID may be used in accordance with the predetermined security level (see col. 6, lines 56-63 of Mochizuki).

Regarding <u>claim 16</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>

<u>Mochizuki</u> teaches with the decrypting program reading the preformed ID from the ATIP signal (see col. 5, line 56 through col. 6, line 16 of Mochizuki).

Art Unit: 2136

Regarding <u>claim 17</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>

<u>Mochizuki</u> teaches with the decryption program reading the preformed ID from the subcode of the disc (see col. 6, lines 23-39 of Kajiyama et al.).

Regarding <u>claim 18</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>
<u>Mochizuki</u> teaches with the decryption program reading the preformed ID from at least one known absolute sector address (see col. 6, lines 23-39 of Kajiyama et al.).

Regarding <u>claim 19</u>, the combination of <u>Moribe et al.</u> in view of <u>Kajiyama et al./</u>

<u>Mochizuki</u> teaches in which valid values of the unique ID correspond to only a small part of the range of possible numbers (see col. 6, lines 5-9 of Moribe et al., any amount of valid values will in essence be only a small part of a range of possible numbers because there are an infinite amount of number possibilities.).

Regarding <u>claim 20</u>, <u>Moribe et al.</u> teaches a uniquely identified programmable CD-ROM optical disc, comprising:

 A unique ID which is written in the recordable area at a known absolute sector address (fig. 1, ref. num 4 and col. 6, lines 5-9).

Moribe et al. does not teach a first preformed ID which is formed in the ATIP signal or a second preformed ID which is formed in the subchannel data in the lead-in zone of the first session.

Art Unit: 2136

Kajiyama et al. teaches a second preformed ID which is formed in the subchannel data in the lead-in zone of the first session (col. 6, lines 23-39).

It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to combine a second preformed ID which is formed in the subchannel data in the lead-in zone of the first session, as taught by Kajiyama et al., with the method of Moribe et al. It would have been obvious for such modifications because the subchannel data in the lead-in zone already exists; by placing the preformed ID in an already existing signal, no extra data is needed.

Moribe et al. as modified by Kajiyama et al. still does not teach a first preformed ID which is formed in the ATIP signal.

Mochizuki teaches a first preformed ID which is formed in the ATIP signal (col. 5, line 56 through col. 6, line 16).

It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to combine a first preformed ID which is formed in the ATIP signal, as taught by Mochizuki, with the method of Moribe et al./Kajiyama et al. It would have been obvious for such modifications because the ATIP signal already exists; by placing the preformed ID in an already existing signal, no extra data is needed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brandon Hoffman whose telephone number is 703-305-4662. The examiner can normally be reached on M-F 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on 703-305-9648. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Brondon Hall

BH

/ 'AYAZ SHEIKH SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100